

Second Quarter 2018
Outfall Sampling
T.F. Green Airport

Prepared by: Rhode Island Airport Corporation

July 2018

Background

The RIPDES permit identifies a total of 16 perimeter outfalls at PVD. Outfalls 001A, 002A, 003A, 004A and 013A discharge to tributaries of Warwick Pond. Outfalls, 006A, 006B, 006C, 006D, 007A, 007B, 008A and 009A discharge to tributaries of Buckeye Brook downstream of Warwick Pond. Outfalls 010A, 011A, and 012A discharge to Tuscatucket Brook. Major outfalls, 002A, 003A, 008A, and 010A, are those outfalls which receive or may receive drainage from areas where aircraft deicing fluid is applied. Sampling for these major outfalls is defined at Part I.A.1 of the permit. Minor outfalls drain taxiways, runways and other paved services. Outfall 005A was combined with Outfall 006A during construction of Runway 34 Safety Area Improvements. Sampling for these minor outfalls is defined at Part I.A.2. of the permit. Additional sampling requirements are defined at Part I.A.5. and Parts I.C. and I.D. Table 1 lists parameters sampled.

Part I.B.4.h describes water quality monitoring requirements for receiving water bodies. Stream monitoring is to be conducted at four locations: the inlet to Warwick Pond at Lake Shore Drive; the outlet to Warwick Pond at the south end of Lake Shore Drive; Buckeye Brook at West Shore Road; and Old Mill Creek at Tidewater Drive. These sample locations were identified as BB-02, BB-03, BB-04 and BB-07 (respectively) to maintain consistency with previous sampling studies in the Buckeye Brook watershed. Figure 1 identifies outfall and in-stream sampling locations.

Industrial activities at PVD with the potential to impact stormwater quality include the use of glycol-based Aircraft Deicing and Anti-icing Fluids (ADFs/AAFs) and pavement deicers. Only propylene glycol (PG)-based ADFs/AAFs are used at PVD. Pavement deicers used at PVD include solid sodium formate, and liquid potassium acetate. No deicing fluid was applied during this event.

Summary of Storm

Second Quarter (April 1 through June 30) sampling includes the major outfalls (002A, 003A, 008A and 010A) hourly for twelve hours, and minor outfalls (001A, 004A, 006A, 007A, 009A, 011A, 012A and 013A) for the first three hours. The sampling began upon a precipitation event of sufficient magnitude as specified in the RIPDES permit.

Light rain began falling around 5:00 AM on June 4, 2018. Sampling commenced at 10:00 AM subsequent to measurable accumulation and continued until approximately 9:15 PM.

A total of 0.53 inches of precipitation (as water equivalent) was measured at PVD during this event. Precipitation data is summarized in Table 1.

Summary of Flow

Flow meters are installed at three of the major outfalls: OF-002A, OF-003A, and OF-008A. Continuous flow measurements during the 12 hours of sampling were made using these Isco 2150 area velocity meters programmed to measure level and velocity and produce flow rate (GPM) at 15 minute increments. No flow meters are installed at minor outfalls or at outfall 010A, as it is off airport property.

Maximum daily and average monthly flows for the major outfalls were calculated and are presented in Table 3. Estimated runoff volumes calculated using drainage area and depth of precipitation for all outfalls are presented in Table 7.

Sample Collection

The laboratory analytical parameters for each sample for this event are listed in Table 2. For the Second Quarter sampling event the major outfalls (002A, 003A, 008A, and 010A) were sampled hourly for twelve hours. There was no observed flow at Outfall 010A. The major outfall sampling results can be found in Tables 3 and 4.

The minor outfalls (001A, 004A, 006A, 007A, 009A, 011A, 012A, and 013A) were also sampled for the first three hours of the event. There was no observed flow at Outfalls 006A, 007A, 009A 011A, and 013A. Outfall 001A did not have measurable flow during the third hour of the sampling event. The minor outfall sampling results can be found in Tables 5 and 6.

Samples were collected and decanted into sample bottles based on the analysis necessary. The bottles were then placed in ice in a cooler for transport to RIAL. Because of the short sample holding time (six hours) for some of the analytical parameters, all samples collected in the first three hours were delivered to the laboratory immediately. Samples collected in hours four through 12 were delivered at the completion of sampling.

RIAC also collected and recorded field measurements at each outfall for temperature, pH, specific conductance, and dissolved oxygen (DO).

Sampling Results

Tables 3-6 present a summary of field measurements and analytical results expressed as monthly average and maximum daily concentrations for both the major and minor outfalls. Table values presented as zero reflect data that was non-detect. Temperature and Oil and Grease are expressed as maximum daily only. pH is expressed as minimum daily and maximum daily.

TABLE 1 PRECIPITATION AMOUNTS T.F. GREEN AIRPORT WARWICK, RHODE ISLAND SECOND QUARTER 2018 June 4, 2018

Date	Total Precipitation (water equivalent,in inches)
June 1, 2018	0.15
June 2, 2018	T
June 3, 2018	0.00
June 4, 2018	0.53

TABLE 2 LABRATORY ANALYTICAL PARAMETERS T.F. GREEN AIRPORT WARWICK, RHODE ISLAND SECOND QUARTER 2018

Sample Identification	Hours 1-3	Hours 4-12
OF-001A, OF-004A, OF-006A, OF-	• TSS, Dissolved Oxygen	i de la companya de
007A, OF-009A, OF-011A, OF-	• Fecal coliform	
012A, OF-013A	 Dissolved Potassium and Sodium 	
	• Oil & grease - 1664	
	• BOD, pH, and Temperature	
OF-002A, OF-003A, OF-008A, OF-	Fecal coliform	• BOD, Surfactants, Dissolved Oxygen
010A	• BOD, Surfactants, Dissolved Oxygen	• pH and Temperature
	• pH and Temperature	· COD, TOC
	· COD, TOC	• Propylene glycol
	• Oil & grease -1664, TSS	• Dissolved Potassium and Sodium
	 Propylene glycol 	 Total Metals (aluminum, chromium, copper, iron, lead, and zinc)
	 Dissolved Potassium and Sodium 	
	Total Metals (aluminum, chromium, copper, iron, lead, and zinc)	

BOD -Biological oxygen demand COD -Chemical oxygen demand TOC -Total organic carbon TPH -Total petroleum hydrocarbons TSS -Total suspended solids

TABLE 3 ANALYTICAL RESULTS MAJOR OUTFALLS T.F. GREEN AIRPORT WARWICK, RHODE ISLAND SECOND QUARTER 2018

	T			Major	Outfalls			
Parameter	Outfal	I 002A	Outfal	I 003A	Outfa	II 008A	Outfa	II 010A
Farametei	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily
Flow (gpd) 1,8	313,648	633,406	340,734	1,197,253	2,008,760	4,729,561	NO FLOW	NO FLOW
Oil & Grease (mg/l) 5		1.3		ND		ND		
TSS (mg/l) 4,5	10.1	17	ND	ND	6.9	15		
Fecal Coliform (MPN/100ml) 7,5	174	350	926	1,600	1,600	1,600		
BOD ₅ (mg/l) ^{2, 6}	2.6	6.7	1.8	100	60.6	130		
Propylene Glycol (mg/l) 2,6	ND	ND	1.1	62	50.4	160		
COD (mg/l) ^{2, 6}	3	14	4.0	200	188	590		
Dissolved Potassium (mg/l) 2,6	1.26	2.72	2.08	5.18	2.36	4.48		
Dissolved Sodium (mg/l) 2,6	0.17	3.39	2.86	11.40	17.44	35.80		
Surfactants (ug/l) 2,6	66	180	63	170	56.1	130		
Dissolved Oxygen (mg/l) 2, 3	7.99	9.35	8.90	9.65	7.53	8.71		
TOC (mg/l) ^{2, 6}	2.9	4	2.7	3.5	2.2	3.5		
Total Aluminum (ug/l) 2,6	ND	ND	ND	ND	35	187		
Total Chromium (ug/l) 2,6	ND	ND	ND	ND	ND	ND		
Total Copper (ug/l) 2,6	ND	ND	3.2	11	2.0	10.6		
Total Iron (ug/l) 2,6	3.10	6.01	1.41	2.70	1.15	2.22		
Total Lead (ug/l) 2,6	0.3	1.7	0.8	7.4	ND	ND		
Total Zinc (ug/l) 2,6	ND	ND	ND	ND	ND	ND		

¹ Results reported as average monthly were determined using the arithmetic average of measurement made every 15 minutes during the 12 hours of sampling. Results reported as maximum daily was the maximum flow measurements over the 12 hours of sampling. Both reported values were converted from GPM to GPD reflecting a 24 hour day

BOD₅ - Biological oxygen demand 5-day test

COD - Chemical oxygen demand

gpd - Gallons per day

mg/l - Milligrams per liter

TOC - Total organic carbon

TSS - Total suspended solids

ug/l - Micrograms per liter

² Results reported as maximum daily were the maximum of the 12 samples collected during the 12 hours of sampling.

³ Results reported as average monthly were determined using the arithmetic average of the 12 samples collected during the 12 hours of sampling.

⁴ Results reported as average monthly were determined using the arithmetic average of the 3 samples collected (when available) during the first 3 hours of sampling.

⁵ Results reported as maximum daily were the maximum of the 3 samples collected (when available) during the first 3 hours of sampling

⁶ Results reported as average monthly were determined by using a flow-weighted average of the 12 samples collected during the 12 hours of sampling.

⁷ Results reported as average monthly were determined by using a geometric mean of the 3 samples collected (when available) during the 3 hours of sampling

⁸ Outfall 010A: Results reported as average monthly were determined using the arithmetic average of rainfall amount during the entire storm for the outfall drainage area. Results reported as maximum daily was determiend from maximum rainfall measurement for the duration of the storm for each outfall drainage area.

TABLE 4
FIELD ANALYTICAL RESULTS
MAJOR OUTFALLS
T.F. GREEN AIRPORT
WARWICK, RHODE ISLAND
SECOND QUARTER 2018

				Major Outfalls	Outfalls			
Darameter	Outfal	Outfall 002A	Outfall 003A	1003A	Outfall 008A	008A	Outfal	Outfall 010A
ממוופנפו	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum
	Daily ¹	Daily ²	Daily¹	Daily ²	Daily¹	Daily ²	Daily¹	Daily ²
рH	6.40	6.70	6.50	6.90	6.50	6.90	NO FLOW NO FLOV	NO FLOW
Temperature (°F)		60.2		59.4		58.7		

Bold text indicates exceedance of permit standards

- ¹ Results reported as minimum daily were the minimum of the samples collected during the 12 hours of sampling.
- ² Results reported as maximum daily were the maximum of the samples collected during the 12 hours of sampling.

TABLE 5 ANALYTICAL RESULTS MINOR OUTFALLS T.F. GREEN ARPORT WARWICK, RHODE ISLAND SECOND QUARTER 2018

						Minor Outrails	IS									
Parameter	Outfall 001A	001A	Outfall 004A	004A	Outfall 006A	1006A	Outfall 007A	007A	Outfall	1009A	Outfal	011A	Outfall 012A	012A	Outfal	Outfall 013A
alallicia	Average	Maximum	Average	Maximum	Average	Maximum	Average	Maximum	Average	Maximum	Average	Maximum	Average	Maximum	Average	Maximum
	Monthly	Daily	Monthly	Daily	Monthly	Daily	Monthly	Daily	Monthly	Daily	Monthly	Daily	Monthly	Daily	Monthly	Daily
Flow (gpd) ¹	84,906	84,906	433,162	433,162	NO FLOW	NO FLOW	433,162 NO FLOW NO FLOW NO FLOW NO FLOW	667,732	667,732 N	NO FLOW	NO FLOW					
Oil & Grease (mg/l) ³		3.3		1.5										ND		
TSS (mg/l) ^{2, 3}	38.5	51	ND	ND									ND	ND		
Fecal Coliform (MPN/100ml) 2,3	1,213	1,600	59	130									1.8	1.8		
BOD ₅ (mg/l) ^{2, 3}	5.4	6.9	ND	ND									ND	ND		
Dissolved Potassium (mg/l) 2,3	4.71	8.05	3.34	5.48									4.22	4.27		
Dissolved Sodium (mg/l) 2,3	3.53	3.55	ND	ND									9.73	9.88		

¹ Results reported as average monthly were determined using the arithmetic average of rainfall amount during the entire storm for the outfall drainage area. Results reported as maximum daily was determiend from maximum rainfall measurement for the duration of the storm for each outfall drainage area.

² Results reported as average monthly were determined using the arithmetic average of the 3 samples collected (when available) during the first 3 hours of sampling.

³ Results reported as maximum daily were the maximum of the 3 samples collected (when available) during the first 3 hours of sampling

mg/l - Milligrams per liter TSS - Total suspended solids gpd - Gallons per day

TABLE 6
FIELD ANALYTICAL RESULTS
MINOR OUTFALLS
T.F. GREEN AIRPORT
WARWICK, RHODE ISLAND
SECOND QUARTER 2018

						Mino	Minor Outfalls									
Daramotor	⊄100 IlethuO	001A	Outfall 004A	004A	Outfall 006/	006A	Outfall 007A	I 007A	Outfal	1 009A	Outfall 011A	I 011A	Outfall 012A	1012A	Outfall 013A	013A
raidilietei	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum	Minimum	Maximu	Minimum	Maximu	Minimum	n Maximu	Minimum	Maximu	Minimum Maxim	Maximu
	Daily¹	Daily ²	Daily¹	Daily ²	Daily¹	Daily ²	Daily¹	m Daily ²	Daily¹	m Daily ²	Daily¹	m Daily ²	Daily¹	Daily ¹ m Daily ²	Daily¹	m Daily ²
ΡΗ	6.5	6.5	6.5	6.6	NO FLOW		NO FLOW		NO FLOW		NO FLOW		6.3	6.3	6.3 NO FLOW	
Temperature (°F)		61.2		58.3										54.7		

Bold text indicates exceedance of permit standards

1 Results reported as minimum daily were the minimum of the samples collected during the 3 hours of sampling.

2 Results reported as maximum daily were the maximum of the samples collected during the 3 hours of sampling.

TABLE 7 PVD RUNOFF VOLUME CALCULATION T.F. GREEN AIRPORT WARWICK, RHODE ISLAND SECOND QUARTER 2018

June 4, 2018 Precip (inches): 0.53

Drainage Basin ID	Water Discharge	Receiving Water	Drainage Area (ac)	cu ft precip	gal precip
1	Outfall 001A	Warwick Pond	5.9	11,351.0	84,906
2	Outfall 002A	Warwick Pond	93.4	179,692.3	1,344,098
3	Outfall 003A	Warwick Pond	119.8	230,483.2	1,724,014
4	Outfall 004A	Warwick Pond	30.1	57,909.4	433,162
4B	Outfall 004B	Buckeye Brook	2	3,847.8	28,782
4C	Outfall 004C	Buckeye Brook	3	5,771.7	43,172
6	Outfall 006A	Buckeye Brook	10.7	20,585.7	153,981
6B	Outfall 006B	Buckeye Brook	1.5	2,885.9	21,586
6C	Outfall 006C	Buckeye Brook	0.8	1,539.1	11,513
6D	Outfall 006D	Buckeye Brook	0,7	1,346.7	10,074
7	Outfall 007A	Buckeye Brook	9.6	18,469.4	138,151
7B	Outfall 007B	Buckeye Brook	1.2	2,308.7	17,269
8	Outfall 008A	Buckeye Brook	240.6	462,890.3	3,462,420
9	Outfall 009A	Buckeye Brook	38.4	73,877.8	552,606
10	Outfall 010A	Tuscatucket Brook	26	50,021.4	374,160
11	Outfall 011A	Luscatucket Brook	14	26,934.6	201,471
12	Outfall 012A	Tuscatucket Brook	46.4	89,269.0	667,732
13	Outfall 013A	Warwick Pond	28	53,869.2	402,942
		TOTAL AREA	672.1	1,293,053.2	

